

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|-----------------|------------------|---------|------------------|
| L1 | 1419 | text with voice with (convert conversion) | US-PGPUB; USPAT | OR | OFF | 2005/11/04 12:55 |
| L2 | 313 | text with voice with (convert conversion) AND @AD<="19990331" | US-PGPUB; USPAT | OR | OFF | 2005/11/04 13:38 |
| L3 | 2 | summariz\$ near data with reduc\$ with size | US-PGPUB; USPAT | OR | OFF | 2005/11/04 13:38 |
| L4 | 2 | email near summarization | US-PGPUB; USPAT | OR | OFF | 2005/11/04 13:39 |
| L5 | 163 | data near summarization | US-PGPUB; USPAT | OR | OFF | 2005/11/04 13:39 |
| L6 | 9744 | data near summariz\$ | US-PGPUB; USPAT | OR | OFF | 2005/11/04 13:39 |
| L7 | 163 | data near summarization | US-PGPUB; USPAT | OR | OFF | 2005/11/04 13:54 |
| L8 | 44 | data near summariz\$ same reduc\$ same size | US-PGPUB; USPAT | OR | OFF | 2005/11/04 13:43 |
| L9 | 682 | reduc\$ with size with (message email datagram) | US-PGPUB; USPAT | OR | OFF | 2005/11/04 13:52 |
| L10 | 0 | reduc\$ with size with (message email datagram) with summarize | US-PGPUB; USPAT | OR | ON | 2005/11/04 13:47 |
| L11 | 0 | reduc\$ with size with (message email datagram) with adapt | US-PGPUB; USPAT | OR | ON | 2005/11/04 13:47 |
| L12 | 0 | reduc\$ with size with (message email datagram) AND summaraiz\$ | US-PGPUB; USPAT | OR | OFF | 2005/11/04 13:52 |
| L13 | 1 | (message email datagram) AND summaraiz\$ | US-PGPUB; USPAT | OR | OFF | 2005/11/04 13:53 |
| L14 | 37 | summarize same payload | US-PGPUB; USPAT | OR | OFF | 2005/11/04 13:54 |
| L15 | 75 | data near summarization AND reduce | US-PGPUB; USPAT | OR | OFF | 2005/11/04 13:54 |
| L17 | 1 | router with convert with mtu | US-PGPUB; USPAT | OR | OFF | 2005/11/04 14:11 |
| L18 | 1 | router same convert same mtu | US-PGPUB; USPAT | OR | OFF | 2005/11/04 14:11 |
| L19 | 237 | router and convert and mtu | US-PGPUB; USPAT | OR | OFF | 2005/11/04 14:13 |
| L20 | 2119 | (maxiumum adj transaction adj unit)mtu | US-PGPUB; USPAT | OR | OFF | 2005/11/04 14:13 |
| L21 | 0 | (maxiumum adj transaction adj unit) AND router AND convert | US-PGPUB; USPAT | OR | OFF | 2005/11/04 14:13 |
| L22 | 0 | (maxiumum adj transaction adj unit) AND router | US-PGPUB; USPAT | OR | OFF | 2005/11/04 14:13 |

| | | | | | | |
|-----|------|--|--------------------|-----|-----|------------------|
| L23 | 692 | L20 AND router | US-PGPUB; USPAT | OR | OFF | 2005/11/04 14:13 |
| L24 | 237 | L20 AND router AND convert | US-PGPUB; USPAT | OR | OFF | 2005/11/04 14:14 |
| L25 | 237 | L20 AND router AND convert AND network | US-PGPUB; USPAT | OR | OFF | 2005/11/04 14:14 |
| L26 | 30 | L20 AND router AND convert AND network AND @AD<"19990331" | US-PGPUB; USPAT | OR | OFF | 2005/11/04 14:17 |
| L27 | 30 | L20 AND router AND convert and @AD<"19990331" | US-PGPUB; USPAT | OR | OFF | 2005/11/04 14:50 |
| L28 | 16 | L20 AND router AND convert and @AD<"19990331" AND fragment | US-PGPUB; USPAT | OR | OFF | 2005/11/04 14:50 |
| S1 | 2842 | rouT\$ memory home agent | USPAT | AND | OFF | 2004/11/15 08:44 |
| S2 | 1223 | rouT\$ memory home agent receiv\$ retriev\$ adapt\$ | USPAT | AND | OFF | 2005/11/03 10:46 |
| S3 | 1222 | rouT\$ memory home agent receiv\$ retriev\$ adapt\$ data | USPAT | AND | OFF | 2005/04/12 08:27 |
| S4 | 56 | S3 AND 709/202,209,238-243.ccls. | USPAT | AND | OFF | 2004/11/15 10:23 |
| S5 | 0 | rouT\$ packets client network memory table format | USPAT | AND | OFF | 2004/11/15 10:25 |
| S6 | 2200 | rouT\$ packets client network memory table format | USPAT | AND | OFF | 2004/11/15 10:52 |
| S7 | 0 | S6 AND 709/202, 238-244,249,250.ccls. | USPAT | AND | OFF | 2004/11/15 10:30 |
| S8 | 224 | S6 AND 709/202,238-244,249,250.ccls. | USPAT | AND | OFF | 2004/11/15 10:31 |
| S9 | 348 | S6 AND 709/202,203,238-244,249,250.ccls. | USPAT | AND | OFF | 2004/11/15 10:53 |
| S10 | 1012 | router packets client network memory table format | USPAT | AND | OFF | 2004/11/15 11:35 |
| S11 | 180 | S10 AND 709/202,203,238-244,249,250.ccls. | USPAT | AND | OFF | 2004/11/15 10:53 |
| S12 | 213 | router packets client network memory table format home agent | USPAT | AND | OFF | 2004/11/17 10:06 |
| S13 | 26 | S12 AND 709/202,238-243,249,250.ccls. | USPAT | AND | OFF | 2004/11/15 11:36 |
| S14 | 1 | ("5802278").PN. | USPAT; USOCR | OR | OFF | 2004/11/16 12:19 |
| S15 | 0 | ("transfervoicedatatext").PN. | USPAT; USOCR | OR | OFF | 2004/11/16 12:19 |
| S16 | 8035 | transfer voice data text | USPAT | AND | OFF | 2004/11/22 09:14 |
| S17 | 1781 | transfer voice data text network "709" | USPAT | AND | OFF | 2004/11/16 12:21 |
| S18 | 186 | transfer voice data text network 709/202,238-243,249.ccls. | USPAT | AND | OFF | 2004/11/16 14:05 |

| | | | | | | |
|-----|-------|--|--------------------|-----|-----|------------------|
| S19 | 18988 | home agent | USPAT | AND | OFF | 2005/04/11 10:21 |
| S21 | 107 | (home adj agent) router (home adj network) | USPAT | AND | OFF | 2005/04/11 14:29 |
| S22 | 1 | ("5828836").PN. | USPAT; USOCR | OR | OFF | 2004/11/17 09:59 |
| S23 | 15 | router packet intermediary re-route client network | USPAT | AND | OFF | 2005/04/11 09:36 |
| S24 | 1819 | 709/238-243.ccls. | USPAT | AND | OFF | 2004/11/17 10:10 |
| S25 | 765 | 709/238-243.ccls. AND router | USPAT | AND | OFF | 2004/11/17 10:25 |
| S26 | 121 | (mobile near2 ip) AND (home adj agent) AND (home adj network) AND router | USPAT | OR | ON | 2005/04/12 15:14 |
| S27 | 67 | "6195705" | USPAT | AND | OFF | 2005/04/11 14:30 |
| S28 | 1 | ("6195705").PN. | US-PGPUB; USPAT | OR | OFF | 2005/04/11 14:30 |
| S29 | 1 | ("6487605").PN. | US-PGPUB; USPAT | OR | OFF | 2005/04/12 08:27 |
| S30 | 1 | ("6771623").PN. | US-PGPUB; USPAT | OR | OFF | 2005/04/12 15:12 |
| S31 | 1 | ("5825759").PN. | US-PGPUB; USPAT | OR | OFF | 2005/04/12 15:16 |
| S32 | 1 | ("6862274").PN. | US-PGPUB; USPAT | OR | OFF | 2005/04/12 15:16 |
| S33 | 1 | ("6487605").PN. | US-PGPUB; USPAT | OR | OFF | 2005/07/20 15:38 |
| S34 | 10122 | convert adj data | US-PGPUB; USPAT | OR | OFF | 2005/07/20 15:39 |
| S35 | 6182 | convert adj data AND network | US-PGPUB; USPAT | OR | OFF | 2005/07/20 15:39 |
| S36 | 69 | convert adj data near2 network | US-PGPUB; USPAT | OR | OFF | 2005/07/20 15:39 |
| S37 | 0 | adapt near data same summariz\$ | US-PGPUB; USPAT | OR | ON | 2005/07/21 08:44 |
| S38 | 5 | adapt near3 data same summariz\$ | US-PGPUB; USPAT | OR | ON | 2005/07/21 08:45 |
| S39 | 38380 | data same summariz\$ | US-PGPUB; USPAT | OR | ON | 2005/07/21 08:45 |
| S40 | 12628 | data near2 summariz\$ | US-PGPUB; USPAT | OR | ON | 2005/07/21 08:45 |
| S41 | 212 | summariz\$ adj data AND adapt | US-PGPUB; USPAT | OR | ON | 2005/07/21 08:45 |
| S42 | 2 | summariz\$ adj data same adapt | US-PGPUB; USPAT | OR | ON | 2005/07/21 08:45 |
| S43 | 99 | mobile adj ip AND ipv6 | USPAT | AND | OFF | 2005/11/03 10:47 |
| S44 | 9 | mobile adj ip AND ipv6 AND adapt | USPAT | AND | OFF | 2005/11/03 10:46 |

| | | | | | | |
|-----|-----|---|-------|-----|-----|------------------|
| S45 | 509 | mobile adj ip | USPAT | AND | OFF | 2005/11/03 11:04 |
| S46 | 182 | mobile adj ip AND @AD<"19990331" | USPAT | AND | OFF | 2005/11/03 11:04 |
| S47 | 69 | mobile adj ip AND @AD<"19990331" and (home adj agent) | USPAT | AND | OFF | 2005/11/03 11:34 |
| S48 | 8 | mobile adj ip AND @AD<"19990331" AND adapt | USPAT | AND | OFF | 2005/11/03 11:06 |
| S49 | 3 | mobile adj ip AND @AD<"19990331" AND (adapt convert) | USPAT | AND | OFF | 2005/11/03 11:07 |
| S50 | 43 | mobile adj ip AND @AD<"19990331" AND (adapt convert) | USPAT | OR | OFF | 2005/11/03 14:05 |
| S51 | .1 | mobile adj ip AND @AD<"19990331" AND ((adapt convert)near2 network) | USPAT | OR | OFF | 2005/11/03 11:07 |
| S52 | 2 | mobile adj ip AND @AD<"19990331" and convert NEAR data | USPAT | AND | OFF | 2005/11/03 11:34 |
| S53 | 7 | mobile adj ip AND @AD<"19990331" and convert NEAR data | USPAT | AND | ON | 2005/11/03 11:35 |
| S54 | 3 | mobile adj ip AND @AD<"19990331" and voip | USPAT | AND | ON | 2005/11/03 11:35 |
| S55 | 7 | convert near packet AND (mobile near2 ip) | USPAT | OR | OFF | 2005/11/03 14:22 |
| S56 | 1 | router with (network near characteristic) | USPAT | OR | OFF | 2005/11/03 14:17 |
| S57 | 5 | convert near packet AND (mobile near ip) | USPAT | OR | OFF | 2005/11/03 14:23 |
| S58 | 10 | convert near packet AND (mobile near ip) | USPAT | OR | ON | 2005/11/03 14:33 |
| S59 | 2 | ipv4 AND ipv6 AND protocol near converter | USPAT | OR | ON | 2005/11/03 14:30 |
| S60 | 266 | ipv4 AND ipv6 AND conver\$ | USPAT | OR | ON | 2005/11/03 14:31 |
| S61 | 265 | ipv4 AND ipv6 AND conver\$ AND network | USPAT | OR | ON | 2005/11/03 14:31 |
| S62 | 41 | ipv4 AND ipv6 AND conver\$ AND network near3 characteristic | USPAT | OR | ON | 2005/11/03 14:31 |
| S63 | 10 | convert near packet AND (mobile near ip) AND router | USPAT | OR | ON | 2005/11/03 14:37 |
| S64 | 386 | router AND (process\$ near2 packet SAME conver\$) | USPAT | OR | ON | 2005/11/03 14:38 |
| S65 | 37 | router with (process\$ near2 packet SAME conver\$) | USPAT | OR | ON | 2005/11/03 14:38 |

| | | | | | | |
|-----|------|--|--------------------|----|-----|------------------|
| S66 | 4035 | (performance network) adj monitor | US-PGPUB; USPAT | OR | ON | 2005/11/04 09:01 |
| S67 | 596 | S66 and ROUTER and store AND retrieve AND network | US-PGPUB; USPAT | OR | ON | 2005/11/04 09:01 |
| S68 | 6 | S66 same (ROUTER and store AND retrieve AND network) | US-PGPUB; USPAT | OR | ON | 2005/11/04 09:02 |
| S69 | 24 | router with convert with packet with network | US-PGPUB; USPAT | OR | OFF | 2005/11/04 14:11 |